

	Type	Hits	Search Text	DBs
25	BRS	0	((("709/203").CCLS.) and (("709/228").CCLS.)) and ((DCOM or distribut\$4 adj component adj object adj model) and (machine adj independent and (IP adj (address or packet))))	USPAT
26	BRS	0	((("709/203").CCLS.) and (("709/229").CCLS.)) and ((DCOM or distribut\$4 adj component adj object adj model) and (machine adj independent and (IP adj (address or packet))))	USPAT
27	BRS	60	pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)	USPAT
28	BRS	51	multicast adj request\$4	USPAT
29	BRS	3021	repon\$4 adj time or respon\$4 adj count	USPAT
30	BRS	0	(pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)) and (multicast adj request\$4)	USPAT
31	BRS	0	(pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)) and (repon\$4 adj time or respon\$4 adj count)	USPAT
32	BRS	1	(multicast adj request\$4) and (repon\$4 adj time or respon\$4 adj count)	USPAT

	Type	Hits	Search Text	DBs
33	BRS	0	((("709/229").CCLS.) and ((("709/228").CCLS.) and ((("709/203").CCLS.) and (("709/227").CCLS.)))) and (pointer and (interface adj identifier or IID) and (CLSID or class adj identifier))	USPAT
34	BRS	0	((("709/229").CCLS.) and ((("709/228").CCLS.) and ((("709/203").CCLS.) and (("709/227").CCLS.)))) and (multicast adj request\$4)	USPAT
35	BRS	0	((("709/229").CCLS.) and ((("709/228").CCLS.) and ((("709/203").CCLS.) and (("709/227").CCLS.)))) and (repon\$4 adj time or respon\$4 adj count)	USPAT
36	BRS	62	(client/server or client adj server) adj node	USPAT
37	BRS	583	activat\$4 adj request	USPAT
38	BRS	4	((client/server or client adj server) adj node) and (activat\$4 adj request)	USPAT
39	BRS	4642	network adj protocol or protocol adj stack	USPAT
40	BRS	3	((client/server or client adj server) adj node) and (activat\$4 adj request)) and (network adj protocol or protocol adj stack)	USPAT

	Type	Hits	Search Text	DBs
41	BRS	0	(pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)) and (((client/server or client adj server) adj node) and (activat\$4 adj request))	USPAT
42	BRS	0	(pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)) and ((client/server or client adj server) adj node)	USPAT
43	BRS	4	(pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)) and (network adj protocol or protocol adj stack)	USPAT
44	BRS	17	(multicast adj request\$4) and (network adj protocol or protocol adj stack)	USPAT
45	BRS	12	(repon\$4 adj time or respon\$4 adj count) and (network adj protocol or protocol adj stack)	USPAT
46	BRS	2757	LAN and WAN and internet	USPAT
47	BRS	2	((pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)) and (network adj protocol or protocol adj stack)) and (LAN and WAN and internet)	USPAT
48	BRS	3	((multicast adj request\$4) and (network adj protocol or protocol adj stack)) and (LAN and WAN and internet)	USPAT

	Type	Hits	Search Text	DBs
49	BRS	1	((repon\$4 adj time or respon\$4 adj count) and (network adj protocol or protocol adj stack)) and (LAN and WAN and internet)	USPAT

	Type	Hits	Search Text	DBs
1	IS&R	1	("5832219").PN.	USPAT
2	BRS	1	"4821220".PN.	USPAT
3	BRS	1	"4885717".PN.	USPAT
4	BRS	1	"5125091".PN.	USPAT
5	BRS	1	"5181162".PN.	USPAT
6	BRS	1	"5404529".PN.	USPAT
7	IS&R	1	("6067559").PN.	USPAT
8	IS&R	1	("6263491").PN.	USPAT
9	IS&R	1	("6263491").PN.	USPAT
10	IS&R	1	("5832219").PN.	USPAT
11	IS&R	1104	("709/203").CCLS.	USPAT
12	IS&R	675	("709/227").CCLS.	USPAT
13	IS&R	431	("709/228").CCLS.	USPAT
14	IS&R	567	("709/229").CCLS.	USPAT
15	BRS	117	(("709/203").CCLS.) and (("709/227").CCLS.)	USPAT
16	BRS	69	(("709/203").CCLS.) and (("709/228").CCLS.)	USPAT
17	BRS	100	(("709/203").CCLS.) and (("709/229").CCLS.)	USPAT

	Type	Hits	Search Text	DBs
18	BRS	29	((("709/228").CCLS.) and (((("709/203").CCLS.) and (("709/227").CCLS.))	USPAT
19	BRS	10	((("709/229").CCLS.) and (((("709/228").CCLS.) and (((("709/203").CCLS.) and (("709/227").CCLS.)))	USPAT
20	BRS	163	DCOM or distribut\$4 adj component adj object adj model	USPAT
21	BRS	29	machine adj independent and (IP adj (address or packet))	USPAT
22	BRS	0	(((("709/229").CCLS.) and (((("709/228").CCLS.) and (((("709/203").CCLS.) and (("709/227").CCLS.)))) and (DCOM or distribut\$4 adj component adj object adj model)	USPAT
23	BRS	0	(((("709/229").CCLS.) and (((("709/228").CCLS.) and (((("709/203").CCLS.) and (("709/227").CCLS.)))) and (machine adj independent and (IP adj (address or packet)))	USPAT
24	BRS	2	(DCOM or distribut\$4 adj component adj object adj model) and (machine adj independent and (IP adj (address or packet)))	USPAT

	Type	Hits	Search Text	DBs
33	BRS	0	((("709/229").CCLS.) and ((("709/228").CCLS.) and ((("709/203").CCLS.) and (("709/227").CCLS.)))) and (pointer and (interface adj identifier or IID) and (CLSID or class adj identifier))	USPAT
34	BRS	0	((("709/229").CCLS.) and ((("709/228").CCLS.) and ((("709/203").CCLS.) and (("709/227").CCLS.)))) and (multicast adj request\$4)	USPAT
35	BRS	0	((("709/229").CCLS.) and ((("709/228").CCLS.) and ((("709/203").CCLS.) and (("709/227").CCLS.)))) and (repon\$4 adj time or respon\$4 adj count)	USPAT
36	BRS	62	(client/server or client adj server) adj node	USPAT
37	BRS	583	activat\$4 adj request	USPAT
38	BRS	4	((client/server or client adj server) adj node) and (activat\$4 adj request)	USPAT
39	BRS	4642	network adj protocol or protocol adj stack	USPAT
40	BRS	3	((client/server or client adj server) adj node) and (activat\$4 adj request)) and (network adj protocol or protocol adj stack)	USPAT

	Type	Hits	Search Text	DBs
41	BRS	0	(pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)) and (((client/server or client adj server) adj node) and (activat\$4 adj request))	USPAT
42	BRS	0	(pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)) and ((client/server or client adj server) adj node)	USPAT
43	BRS	4	(pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)) and (network adj protocol or protocol adj stack)	USPAT
44	BRS	17	(multicast adj request\$4) and (network adj protocol or protocol adj stack)	USPAT
45	BRS	12	(repon\$4 adj time or respon\$4 adj count) and (network adj protocol or protocol adj stack)	USPAT
46	BRS	2757	LAN and WAN and internet	USPAT
47	BRS	2	((pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)) and (network adj protocol or protocol adj stack)) and (LAN and WAN and internet)	USPAT
48	BRS	3	((multicast adj request\$4) and (network adj protocol or protocol adj stack)) and (LAN and WAN and internet)	USPAT



	Type	Hits	Search Text	DBs
49	BRS	1	((repon\$4 adj time or respon\$4 adj count) and (network adj protocol or protocol adj stack)) and (LAN and WAN and internet)	USPAT

	Type	Hits	Search Text	DBs
25	BRS	0	((("709/203").CCLS.) and (("709/228").CCLS.)) and ((DCOM or distribut\$4 adj component adj object adj model) and (machine adj independent and (IP adj (address or packet))))	USPAT
26	BRS	0	((("709/203").CCLS.) and (("709/229").CCLS.)) and ((DCOM or distribut\$4 adj component adj object adj model) and (machine adj independent and (IP adj (address or packet))))	USPAT
27	BRS	60	pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)	USPAT
28	BRS	51	multicast adj request\$4	USPAT
29	BRS	3021	repon\$4 adj time or respon\$4 adj count	USPAT
30	BRS	0	(pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)) and (multicast adj request\$4)	USPAT
31	BRS	0	(pointer and (interface adj identifier or IID) and (CLSID or class adj identifier)) and (repon\$4 adj time or respon\$4 adj count)	USPAT
32	BRS	1	(multicast adj request\$4) and (repon\$4 adj time or respon\$4 adj count)	USPAT

	Type	Hits	Search Text	DBs
18	BRS	29	((("709/228").CCLS.) and (((("709/203").CCLS.) and (("709/227").CCLS.)))	USPAT
19	BRS	10	((("709/229").CCLS.) and (((("709/228").CCLS.) and (((("709/203").CCLS.) and (("709/227").CCLS.)))	USPAT
20	BRS	163	DCOM or distribut\$4 adj component adj object adj model	USPAT
21	BRS	29	machine adj independent and (IP adj (address or packet))	USPAT
22	BRS	0	((("709/229").CCLS.) and (((("709/228").CCLS.) and (((("709/203").CCLS.) and (("709/227").CCLS.)))) and (DCOM or distribut\$4 adj component adj object adj model)	USPAT
23	BRS	0	((("709/229").CCLS.) and (((("709/228").CCLS.) and (((("709/203").CCLS.) and (("709/227").CCLS.)))) and (machine adj independent and (IP adj (address or packet)))	USPAT
24	BRS	2	(DCOM or distribut\$4 adj component adj object adj model) and (machine adj independent and (IP adj (address or packet)))	USPAT

	Type	Hits	Search Text	DBs
1	IS& R	1	("5832219").PN.	USPAT
2	BRS	1	"4821220".PN.	USPAT
3	BRS	1	"4885717".PN.	USPAT
4	BRS	1	"5125091".PN.	USPAT
5	BRS	1	"5181162".PN.	USPAT
6	BRS	1	"5404529".PN.	USPAT
7	IS& R	1	("6067559").PN.	USPAT
8	IS& R	1	("6263491").PN.	USPAT
9	IS& R	1	("6263491").PN.	USPAT
10	IS& R	1	("5832219").PN.	USPAT
11	IS& R	1104	("709/203").CCLS.	USPAT
12	IS& R	675	("709/227").CCLS.	USPAT
13	IS& R	431	("709/228").CCLS.	USPAT
14	IS& R	567	("709/229").CCLS.	USPAT
15	BRS	117	(("709/203").CCLS.) and (("709/227").CCLS.)	USPAT
16	BRS	69	(("709/203").CCLS.) and (("709/228").CCLS.)	USPAT
17	BRS	100	(("709/203").CCLS.) and (("709/229").CCLS.)	USPAT